

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**GHS product identifier**

Product Name **CAFCO® BLAZE-SHIELD® HP**
CAFCO® BLAZE-SHIELD® HP WHITE
CAFCO® BLAZE-SHIELD® HP CHARCOAL

CAFCO® BLAZE-SHIELD® II HS

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Spray-Applied Fire Resistive Materials

Uses advised against No information available

Supplier's details**Canada Supplier's Address**

Cafco Industries Inc.
151 Nasdene Road, Unit 12
Scarborough, Ontario MI V 2T3
Toll Free: 888-873-0003

Manufacturer and U.S. Supplier's Address

United States Mineral Products Company dba Isolatek International
41 Furnace Street
Stanhope, NJ 07874
Toll Free: 800-631-9600

Emergency telephone number

Chemical Emergency Phone Number CHEMTREC 800 424 9300 (USA), +1 703 527 3887 (International)

2. HAZARDS IDENTIFICATION**Classification**

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1
Skin Sensitization	Category 1
Carcinogenicity	Category 1A
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3

CAFCO® BLAZE-SHIELD® II HS

Label Elements

Signal Word

Danger



Hazard Statements

Causes severe skin burns and eye damage
May cause an allergic skin reaction
May cause cancer
May cause respiratory irritation

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wash face, hands and any exposed skin thoroughly after handling.
- Contaminated work clothing should not be allowed out of the workplace.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

- Immediately call a POISON CENTER or doctor/physician.

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- Wash contaminated clothing before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.

Inhalation

- IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

- IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

- Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.
- Store in a dry place

Disposal

- Dispose of contents/container in accordance with local regulations.

Other information

Harmful to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Slag wool	65997-17-3	50 - 70	-	-
Cement, Portland	65997-15-1	20 - 35	-	-
Petroleum distillates, hydrotreated middle	64742-46-7	0 - 5	-	-
Quartz, (SiO ₂)	14808-60-7	0 - 0.1	-	-

**The exact percentage (concentration) of composition has been withheld as a trade secret.*

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician immediately.

Skin Contact Wash off immediately with plenty of water. In the case of skin irritation or allergic reactions see a physician. Remove and wash contaminated clothing before re-use.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Rinse mouth. Drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Burning.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Do NOT use water jet

Specific Hazards Arising from the Chemical No information available.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

CAFCO® BLAZE-SHIELD® II HS

Precautions for Firefighters (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Environmental Precautions

Environmental Precautions Avoid release to the environment. Dispose of contents/container in accordance with local regulation See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further spillage if safe to do so and properly trained. Avoid breathing dust. Avoid creating dusty conditions and prevent wind dispersal.

Methods for Cleaning Up Avoid dust formation. Do not dry sweep. Pick-up spillage. Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors/dust. Avoid dust formation. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Protect from moisture. Once container is opened, use entire contents at once.

Incompatible Products Oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Slag wool 65997-17-3	TWA: 1 fiber/cm ³ respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m ³ inhalable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Cement, Portland 65997-15-1	TWA: 1 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust	IDLH: 5000 mg/m ³ TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust

CAFCO® BLAZE-SHIELD® II HS

		(vacated) TWA: 5 mg/m ³ respirable fraction TWA: 50 mppcf <1% Crystalline silica	
Calcium Sulfate Hemihydrate 26499-65-0	TWA: 10 mg/m ³ inhalable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Bentonite 1302-78-9	TWA: 1 mg/m ³ respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Quartz, (SiO ₂) 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	30/(%SiO ₂ +2) mg/m ³ TWA, Total Dust; 250/(%SiO ₂ +5) mppcf TWA, respirable fraction; 10/(%SiO ₂ +2) mg/m ³ TWA, respirable TWA: 0.1 mg/m ³ (vacated)	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust

Appropriate engineering controls

Engineering Measures

Showers
 Eyewash stations
 Exhaust Fans/Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Tightly fitting safety goggles with side shields.



Skin and Body Protection

Wear protective gloves/clothing. Impervious gloves.



Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.



Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid, Powder.	Appearance	White to Charcoal.
Odor	Low.	Odor Threshold	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
-----------------	---------------	--------------------------

CAFCO® BLAZE-SHIELD® II HS

pH	11.5 - 12.5	None known
Melting Point/Range	981 °C	None known
Boiling Point/Boiling Range	No data available	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Relative Density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Low	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known
Flammable Properties	Not flammable	
Explosive Properties	No data available	
Oxidizing Properties	No data available	

Other information

Actual VOC (lb/gal) 0.0

10. STABILITY AND REACTIVITY

<u>Reactivity</u>	No data available.
<u>Chemical stability</u>	Stable under recommended storage conditions.
<u>Possibility of hazardous reactions</u>	None under normal processing.
<u>Hazardous Polymerization</u>	Hazardous polymerization does not occur.
<u>Conditions to avoid</u>	None known based on information supplied.
<u>Incompatible materials</u>	Oxidizing agents.
<u>Hazardous decomposition products</u>	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause irritation of respiratory tract.
Eye Contact	Severely irritating to eyes May cause irreversible damage to eyes.
Skin Contact	Contact causes severe skin irritation and possible burns. May cause sensitization by skin contact.
Ingestion	May cause irritation

CAFCO® BLAZE-SHIELD® II HS

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium Sulfate Hemihydrate	> 3000 mg/kg (Rat)	-	-
Petroleum distillates, hydrotreated middle	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat) 4 h
Bentonite	> 5000 mg/kg (Rat)	-	-
Ferric oxide black	> 10000 mg/kg (Rat)	-	-
Vinyl acetate-Vinyl alcohol polymer	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness Irritation Allergic skin reactions or irritation. May cause irritation to the respiratory system.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization May cause sensitization by skin contact.
Germ Cell Mutagenicity No information available
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Slag Wool		Group 3		
Quartz, (SiO ₂)	A2	Group 1	Known	X

Reproductive Toxicity No information available
STOT - single exposure May cause respiratory irritation.
STOT - repeated exposure No information available
Aspiration Hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated. Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Calcium Sulfate Hemihydrate 26499-65-0		LC50 96 h: = 2980 mg/L static (Lepomis macrochirus) LC50 96 h: > 1970 mg/L static (Pimephales promelas)		EC50 120 h: = 3200 mg/L (Nitscheria linearis)
Petroleum distillates, hydrotreated middle 64742-46-7		LC50: 35 mg/L Pimephales promelas 96 h flow-through LC50: >10000 mg/L Pimephales promelas 96 h static		
Bentonite 1302-78-9		LC50 96 h: 8.0-19.0 g/L (Salmo gairdneri) LC50 96 h: = 19000 mg/L static (Oncorhynchus mykiss)		

Persistence and Degradability No information available

Bioaccumulation No information available

Mobility No information available

Other Adverse Effects No information available.

CAFCO® BLAZE-SHIELD® II HS

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Not applicable
Persistent Organic Pollutants Not applicable
Hazardous Waste Dispose of in accordance with local regulations.
The Rotterdam Convention (Prior Informed Consent) Not applicable
International Convention for the Prevention of Pollution from Ships (MARPOL) Not applicable

International Inventories

TSCA Complies
DSL/NDSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

CAFCO® BLAZE-SHIELD® II HS

pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Quartz, (SiO ₂)	14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Cement, Portland	X	X	X		X
Calcium Sulfate Hemihydrate	X	X	X		X
Quartz, (SiO ₂)	X	X	X	-	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 0 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazard 2* Flammability 0 Physical Hazard 0 Personal Protection X

Prepared By Product Stewardship
 23 British American Blvd.
 Latham, NY 12110
 1-800-572-6501

Issuing Date draft
 Revision Date 02-May-2018
 Revision Note No information available.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet