

SAFETY DATA SHEET

Revision Date 10-May-2018

Revision Number 0

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name CAFCO® BLAZE-SHIELD® HP

CAFCO® BLAZE-SHIELD® HP WHITE CAFCO® BLAZE-SHIELD® HP CHARCOAL

CAFCO® BLAZE-SHIELD® II HS

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Spray-Applied Fire Resistive Materials

Uses advised against No information available

Supplier's details

Canada Supplier's Address

Cafco Industries Inc. 151 Nasdene Road, Unit 12 Scarborough, Ontario MI V 2T3 Toll Free: 888-873-0003

Manufacturer and U.S. Supplier's Address

United States Mineral Products Company dba Isolatek International 41 Furnace Street Stanhope, NJ 07874 Toll Free: 800-631-9600

Emergency telephone number

Chemical Emergency Phone

Number

CHEMTREC 800 424 9300 (USA), +1 703 527 3887 (International)

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1
Skin Sensitization	Category 1
Carcinogenicity	Category 1A
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3

Label Elements

Signal Word

Danger



Hazard Statements

Causes severe skin burns and eye damage May cause an allergic skin reaction May cause cancer May cause respiratory irritation

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wash face, hands and any exposed skin thoroughly after handling.
- Contaminated work clothing should not be allowed out of the workplace.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

• Immediately call a POISON CENTER or doctor/physician.

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina.
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- · Wash contaminated clothing before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.

Inhalation

• IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

• IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

- · Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.
- Store in a dry place

Disposal

• Dispose of contents/container in accordance with local regulations.

Other information

Harmful to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Slag wool	65997-17-3	50 - 70	-	-
Cement, Portland	65997-15-1	20 - 35	-	-
Petroleum distillates, hydrotreated middle	64742-46-7	0 - 5	-	-
Quartz, (SiO ₂)	14808-60-7	0 - 0.1	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Call a physician immediately.

Skin Contact Wash off immediately with plenty of water. In the case of skin irritation or allergic reactions

see a physician. Remove and wash contaminated clothing before re-use.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Rinse mouth. Drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Burning.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

<u>Unsuitable Extinguishing Media</u> Do NOT use water jet

Specific Hazards Arising from the No information available.

Chemical

Explosion Data

Sensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

Protective Equipment and

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

CAFCO® BLAZE-SHIELD® HP CAFCO® BLAZE-SHIELD® HP WHITE CAFCO® BLAZE-SHIELD® HP CHARCOAL

CAFCO® BLAZE-SHIELD® II HS

<u>Precautions for Firefighters</u> (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes and

clothing. Use personal protective equipment.

Environmental Precautions

Environmental PrecautionsAvoid release to the environment. Dispose of contents/container in accordance with local

regulation See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further spillage if safe to do so and properly trained. Avoid breathing dust. Avoid

creating dusty conditions and prevent wind dispersal.

Methods for Cleaning Up Avoid dust formation. Do not dry sweep. Pick-up spillage. Dispose of in accordance with

local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Wear personal

protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors/dust. Avoid dust formation. In case of insufficient ventilation, wear suitable

respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Protect from moisture.

Once container is opened, use entire contents at once.

Incompatible Products Oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Slag wool	TWA: 1 fiber/cm3 respirable	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
65997-17-3	fibers: length >5 µm, aspect ratio	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
	>=3:1, as determined by the		
	membrane filter method at		
	400-450X magnification [4-mm		
	objective], using phase-contrast		
	illumination		
	TWA: 5 mg/m ³ inhalable		
	particulate matter		
Cement, Portland	TWA: 1 mg/m ³ particulate matter	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
65997-15-1	containing no asbestos and <1%	TWA: 5 mg/m ³ respirable	TWA: 10 mg/m ³ total dust
	crystalline silica, respirable	fraction	TWA: 5 mg/m ³ respirable dust
	particulate matter	(vacated) TWA: 10 mg/m ³ total	
		dust	

		(vacated) TWA: 5 mg/m³ respirable fraction TWA: 50 mppcf <1% Crystalline silica	
Calcium Sulfate Hemihydrate 26499-65-0	TWA: 10 mg/m³ inhalable particulate matter	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Bentonite 1302-78-9	TWA: 1 mg/m³ respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Quartz, (SiO ₂) 14808-60-7	TWA: 0.025 mg/m³ respirable particulate matter	30/(%SiO2+2) mg/m3 TWA, Total	TWA: 0.05 mg/m ³ respirable dust

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations

Exhaust Fans/Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles with side shields.



Skin and Body Protection Wear protective gloves/clothing. Impervious gloves.



Respiratory Protection



If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical StateSolid, Powder.AppearanceWhite to Charcoal.OdorLow.Odor ThresholdNo information available.

Property Values Remarks/ - Method

Revision Date 10-May-2018

CAFCO® BLAZE-SHIELD® HP CAFCO® BLAZE-SHIELD® HP WHITE CAFCO® BLAZE-SHIELD® HP CHARCOAL

CAFCO® BLAZE-SHIELD® II HS

11.5 - 12.5 рΗ None known Melting Point/Range 981 °C None known **Boiling Point/Boiling Range** No data available None known **Flash Point** No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data availableVapor PressureNo data available

None known **Vapor Density** No data available None known **Relative Density** No data available None known **Specific Gravity** No data available None known **Water Solubility** None known Low Solubility in other solvents No data available None known

Partition coefficient: n-octanol/waterNo data available
Autoignition Temperature
No data available
None known

Flammable Properties Not flammable

Explosive Properties No data available Oxidizing Properties No data available

Other information

Actual VOC (lb/gal) 0.0

10. STABILITY AND REACTIVITY

Reactivity No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> None known based on information supplied.

<u>Incompatible materials</u> Oxidizing agents.

<u>Hazardous decomposition products</u> None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Eye Contact Severely irritating to eyes May cause irreversible damage to eyes.

Skin Contact Causes severe skin irritation and possible burns. May cause sensitization by skin

contact.

Ingestion May cause irritation

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium Sulfate Hemihydrate	> 3000 mg/kg (Rat)	-	-
Petroleum distillates, hydrotreated middle	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat) 4 h
Bentonite	> 5000 mg/kg (Rat)	-	-
Ferric oxide black	> 10000 mg/kg (Rat)	-	-
Vinyl acetate-Vinyl alcohol polymer	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness Irritation Allergic skin reactions or irritation. May cause irritation to the respiratory

system.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization May cause sensitization by skin contact.

Germ Cell Mutagenicity No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Slag Wool		Group 3		
Quartz, (SiO ₂)	A2	Group 1	Known	X

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated. Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Calcium Sulfate Hemihydrate		LC50 96 h: = 2980 mg/L		EC50 120 h: = 3200 mg/L
26499-65-0		static (Lepomis macrochirus)		(Nitscheria linearis)
		LC50 96 h: > 1970 mg/L		, ,
		static (Pimephales promelas)		
Petroleum distillates,		LC50: 35 mg/L Pimephales		
hydrotreated middle		promelas 96 h flow-through		
64742-46-7		LC50: >10000 mg/L		
		Pimephales promelas 96 h		
		static		
Bentonite		LC50 96 h: 8.0-19.0 g/L		
1302-78-9		(Salmo gairdneri)		
		LC50 96 h: = 19000 mg/L		
		static (Oncorhynchus		
		mykiss)		

Persistence and Degradability No information available

Bioaccumulation No information available

Mobility No information available

Other Adverse Effects No information available.

CAFCO® BLAZE-SHIELD® HP CAFCO® BLAZE-SHIELD® HP WHITE CAFCO® BLAZE-SHIELD® HP CHARCOAL

CAFCO® BLAZE-SHIELD® II HS

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

<u>IATA</u> Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Not applicable **Persistent Organic Pollutants** Not applicable

Hazardous Waste Dispose of in accordance with local regulations.

The Rotterdam Convention (Prior

Informed Consent)

International Convention for the

Prevention of Pollution from Ships

(MARPOL)

Not applicable

Not applicable

International Inventories

TSCA Complies **DSL/NDSL** Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

CAFCO® BLAZE-SHIELD® HP
CAFCO® BLAZE-SHIELD® HP WHITE

Revision Date 10-May-2018

CAFCO® BLAZE-SHIELD® HP WHITE CAFCO® BLAZE-SHIELD® HP CHARCOAL

CAFCO® BLAZE-SHIELD® II HS

pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Quartz, (SiO ₂)	14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

X	X	X		V
	= =	^		^
Х	Х	X		Х
Х	Х	Х	-	Х
	X	X X X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION							
NFPA_	Health Hazard	2	Flammability	0	Instability	0	Physical and Chemical Hazards -

HMIS Health Hazard 2* Flammability 0 Physical Hazard 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date draft

Revision Date 02-May-2018

Revision NoteNo information available.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet